

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L13 | 2 | ("6438377").FN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/06 09:17 |
| L14 | 2 | ("6768907").FN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/06 09:18 |
| L15 | 2859 | delay with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 10:38 |
| L16 | 108 | schedul\$3 with delay with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 10:38 |
| L17 | 45 | 16 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 10:38 |
| L21 | 33 | 17 and ((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 10:39 |
| L22 | 20 | 21 and ((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 10:39 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| L23 | 143 | delay with (between near2 (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 11:57 |
| L24 | 64 | 23 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 11:58 |
| L25 | 45 | 24 and ((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 11:58 |
| L26 | 23 | 25 and ((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 11:58 |
| L28 | 60 | delay with (between with first with second with (controller or bsc or (control near2 unit) or rnc) with (bts or (base near2 station) or "bs" or "ap" or (access near2 point))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 12:02 |
| L29 | 5 | 28 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 12:02 |
| L30 | 3 | 29 and ((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/06 12:02 |
| L31 | 2 | ("20040009767").FN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/06 12:47 |
| L32 | 2 | ("6091962").FN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/06 12:48 |

| | | | | | | |
|----|-------|---|---|----|-----|---------------------|
| S1 | 12588 | (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:13 |
| S2 | 13403 | (delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:14 |
| S3 | 2 | ("20070155388").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/05 15:14 |
| S4 | 833 | (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:16 |
| S5 | 299 | S4 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:17 |
| S6 | 216 | S5 and (((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:17 |
| S7 | 113 | S6 and (((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:18 |
| S8 | 72 | (target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original) same (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start \$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:19 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S9 | 72 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) same ((tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start \$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:20 |
| S10 | 15 | S7 and S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:20 |
| S16 | 47 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) with ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:36 |
| S17 | 18 | S16 and ((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:36 |
| S18 | 16 | S17 and ((455/4\$.cds.) or (370/3\$.cds.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:36 |
| S19 | 11 | S18 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:37 |
| S20 | 633 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) and S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:45 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S21 | 3019 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) near5 (tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (start\$3 or activat\$3 or stop\$4) near5 (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:47 |
| S22 | 2703 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (first serving old previous initial home source original)) and S21 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:48 |
| S23 | 81 | S22 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:49 |
| S24 | 63 | S23 and ((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:49 |
| S25 | 33 | S24 and (((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 15:49 |
| S26 | 6732 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:01 |
| S27 | 2593 | S26 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:01 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S28 | 1335 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original)) same ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:03 |
| S29 | 534 | S27 and S28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:03 |
| S30 | 387 | S29 and ((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:03 |
| S31 | 206 | S30 and ((@lad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:04 |
| S32 | 1368 | ((target or second or \$2other or non-serving new neighbor \$3 candidate potential destination) with (uplink or (reverse near2 link)) with (first serving old previous initial home source original)) same ((delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot) near5 (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:05 |
| S33 | 551 | S27 and S32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:06 |
| S34 | 551 | S33 and ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:07 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S35 | 547 | S34 and ((first serving old previous initial home source original) with (delay or offset or tim\$3 or whe\$1 or interval or period or slot or timeslot)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:08 |
| S36 | 486 | S35 and ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (start\$3 or forward\$3 or stop\$4 or transmi\$5 or send\$3 or activat\$3 or commenc\$3) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:12 |
| S37 | 262 | ((base adj station) bts "bs" node-b (node adj b)(access adj point) ap) near2 ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (buffer\$3 or delay or tim\$3 or interval or period or slot or timeslot or start\$3 or forward\$3 or stop\$4 or activat\$3 or commenc\$3) with (controller or rnc or bsc or (control near2 unit) or uplink or (reverse near2 link))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:53 |
| S38 | 2792 | ((base adj station) bts "bs" node-b (node adj b)(access adj point) ap) near2 ((target or second or \$2other or non-serving new neighbor\$3 candidate potential destination) with (buffer\$3 or delay or tim\$3 or interval or period or slot or timeslot or start\$3 or forward\$3 or stop\$4 or activat\$3 or commenc\$3) with (first serving old previous initial home source original)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:55 |
| S39 | 142 | S37 and S38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:55 |
| S40 | 110 | S39 and (handover or handoff or hand-over or hand-off) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:55 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S41 | 62 | S40 and ((@rlad<"20030814") or (@ad<"20030814")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:56 |
| S42 | 55 | S41 and ((455/4\$.ccls.) or (370/3\$.ccls.)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/05 16:56 |

3/ 6/ 2010 12:50:53 PM

C:\Documents and Settings\fdonado\My Documents\EAST\Workspaces\10567607_Ver4.wsp